

^ .	A	
(illorontood	$ \wedge n \cap$	LVCIC
Guaranteed	і Апа	IVSIS:
addidittood	IIIII	IYOIO
		9

Crude protein (min)15.00 %
Lysine (min) 0.80 %
Crude Fat (min) 5.00 %
Crude Fiber (max)21.00 %
ADF (max)
NDF (max)
Sugar (max) 2.00 %
Starch (max)
Calcium (min) 1.20 %
Calcium (max)
Phosphorus (min) 0.80 %
Magnesium (min) 0.40 %
Potassium (min)1.00 %
Salt (min)1.00 %
Salt (max) 1.50 %
Zinc (min) 475 ppm
Manganese (min)150 ppm
Copper (min)
Cobalt (min) 0.75 ppm
lodine (min) 4.50 ppm
Selenium (min) 1.65 ppm
Vitamin A (min)
Vitamin D (min)
Vitamin E (min)
Biotin (min) 12.5 mg/lb

Daily Feeding Directions

Ponies (500–700 lb)	1 to 1.5 lb per day
Growing Horses (400-800 lb)	1 to 2 lb per day
Maintenance Horses (800–1,100 lb)	1 to 1.5 lb per day
Performance Horses	1.5 to 2 lb per day
Broodmares	1.5 to 2 lb per day
Breeding Stallions	1.5 to 2 lb per day

All Horses - Feed quality hay at a minimum of 1.5% to 2.0% of body weight.

Important Feeding Information

- Transition horses onto this diet balancer gradually over 14 days.
- Offer clean fresh water and plain white salt at all times.
- Weigh feed and divide feed into two separate feedings for best results.
- Store in cool dry area away from rodents, insects and moisture.
- ${\boldsymbol{\cdot}}$ Do not use feed that appears old, molded, or has an unusual odor.

Caution: Do not feed to sheep or copper sensitive species.

Ingredients -

Sunflower Meal, Rice Bran, Rice Hulls, Dehydrated Alfalfa Meal, Lignin Sulfonate, Calcium Carbonate, Dried Kelp Meal, Salt, Monocalcium Phosphate, Sodium Selenite, Vitamin E Supplement, Biotin, Vitamin A Supplement, Vitamin D Supplement, Anise Flavor, Zinc Oxide, Copper Sulfate, L-Lysine, Manganous Oxide, Cobalt Carbonate, Ethylenediamine Dihydroiodide.

